




Profile Basis 50 mm

Profile Basis 50 mm	Typ		Gewicht [kg/m]	I _{x,y} [cm ⁴]	W _{x,y} [cm ³]	Seite
Vierfront-Softlineprofil 50x50	Typ A10-0		2.3	20.55	8.22	50
Leichtprofil 50x50	Typ A02-1		1.8	16.07	6.42	51
Grundprofil 50x50	Typ A01-1		2.3	20.88	8.35	52
Schwerprofil 50x50	Typ MA1-1		3.1	29.37	11.75	52
Frontprofil 50x50	Typ A01-8		2.2	20.38, 19.61	8.15, 7.55	53
Eckprofil 50x50	Typ A01-7		2.0	17.7	7.05	53
Zweifrontprofil 50x50	Typ A02-4		2.0	19.59, 18.17	7.83, 7.27	54
Winkelprofil 50x45°	Typ A02-8		1.7	13.10	4.50	54
Front-Verkleidungsprofil 50x50	Typ A03-8		2.2	20.40, 19.72	8.07, 7.89	55
Leichtprofil 50x100	Typ A02-2		3.8	148.15, 37.15	29.63, 15.00	56
Grundprofil 50x100	Typ A01-2		4.6	149.84, 41.25	29.97, 16.50	57
Schwerprofil 50x100	Typ MA1-2		5.3	198.66, 50.28	39.73, 20.11	58

Profile Basis 50 mm	Typ		Gewicht [kg/m]	I _{x,y} [cm ⁴]	W _{x,y} [cm ³]	Seite
Frontprofil 50x100	Typ MA1-4		5.2	203.67, 54.31	40.73, 21.03	59
Grundprofil 100x100	Typ MA2-5		8.1	324.73	64.95	60
Schwerprofil 100x100	Typ MA1-5		9.5	380.00, 365.00	76.00, 73.00	61
Eckprofil 100x100	Typ A03-7		7.1	314.10	62.82	62
Trägerprofil 50x150	Typ MA1-3		7.1	608.31, 73.56	81.11, 29.42	63
Trägerprofil 50x200	Typ MA1-6		8.8	1315.83, 92.71	131.58, 37.08	64
Schwerprofil 100x200	Typ MA1-9		16.4	2435.30, 705.60	243.53, 141.12	65
Säulenprofil 150x150	Typ MA1-8		13.3	1264.46	168.59	66

Profile Basis 45 mm


Profile Basis 45 mm	Typ		Gewicht [kg/m]	I _{x,y} [cm ⁴]	W _{x,y} [cm ³]	Seite
Vierfront-Softlineprofil 45x45	Typ E10-1		2.1	14.07	6.25	67
Leichtprofil 45x45	Typ E02-1		1.7	13.16	5.85	67
Grundprofil 45x45	Typ E01-1		2.1	16.12	7.16	68
Frontprofil 45x45	Typ E02-6		1.6	11.76, 12.20	5.13, 5.42	68
Eckprofil 45x45	Typ E02-7		1.5	11.75, 11.83	5.12, 5.16	69
Zweifrontprofil 45x45	Typ E02-4		1.6	11.46, 12.33	5.09, 5.48	69
Softlineprofil 45x45	Typ E03-1		1.5	9.70	3.80	70
Leichtprofil 45x90	Typ E02-3		2.8	90.44, 23.62	20.10, 10.50	71
Grundprofil 45x90	Typ E01-3		3.5	109.54, 29.77	24.34, 13.23	72
Frontprofil 45x90	Typ E01-14		3.5	109.45, 30.23	24.32, 13.38	73
Eckprofil 45x90	Typ E02-2		2.7	82.76, 22.31	18.26, 9.79	74
Trägerprofil 45x135	Typ E01-19		4.9	334.22, 43.41	49.51, 19.30	75

Profile Basis 45 mm	Typ		Gewicht [kg/m]	I _{x,y} [cm ⁴]	W _{x,y} [cm ³]	Seite
Trägerprofil 45x180	Typ E01-16		6.4	743.74, 57.06	82.64, 25.36	76
Leichtprofil 90x90	Typ E02-5		4.7	160.09	35.58	77
Grundprofil 90x90	Typ E01-4		6.1	205.78	45.73	78
Trägerprofil 90x135	Typ E01-13		8.1	618.00, 300.57	98.56, 66.79	79
Trägerprofil 90x180	Typ E01-5		12.1	1525.63, 443.9	169.51, 98.64	80

Profile Basis 40 mm	Typ		Gewicht [kg/m]	I _{x,y} [cm ⁴]	W _{x,y} [cm ³]	Seite
Vierfront-Softlineprofil 40x40	Typ C10-0		1.6	9.6	4.75	81
Vierfront-Softlineprofil 40x80	Typ C10-3		2.8	69.73, 18.52	17.43, 9.26	81
Vierfront-Softlineprofil 80x80	Typ C10-4		4.4	119.40	29.85	82
Superleichtprofil 40x40	Typ C03-1		1.3	8.20	4.10	83
Leichtprofil 40x40	Typ C02-1		1.5	9.35	4.67	83


Profile Basis 40 mm

Profile Basis 40 mm	Typ		Gewicht [kg/m]	I _{x,y} [cm ⁴]	W _{x,y} [cm ³]	Seite
Grundprofil 40x40	Typ C01-1		2.0	11.70	5.75	84
Frontprofil 40x40	Typ C01-8		2.0	11.66, 11.67	5.78, 5.83	84
Eckprofil 40x40	Typ C01-7		1.5	9.21	4.53	85
Zweifrontprofil 40x40	Typ C02-4		1.5	9.56, 9.21	4.78, 4.60	85
Front-Verkleidungsprofil 40x40	Typ C04-2		1.6	9.13, 9.92	4.57, 4.96	86
Eck-Verkleidungsprofil 40x40	Typ C04-7		1.6	9.53	4.76	86
Winkelprofil 45°	Typ C04-4		1.5	8.46, 9.11	3.01, 3.44	87
Winkelprofil 40x45°	Typ C02-8		1.2	6.30	2.70	87
Softlineprofil 40x40	Typ C03-8		1.3	6.70	2.97	88
Leichtprofil 40x80	Typ C02-3		2.8	64.90, 17.70	16.23, 8.85	89
Grundprofil 40x80	Typ C01-3		3.7	81.95, 22.74	20.49, 11.37	89
Frontprofil 40x80	Typ C01-5		2.6	64.40, 17.20	16.10, 8.60	90

Profile Basis 40 mm	Typ		Gewicht [kg/m]	I _{x,y} [cm ⁴]	W _{x,y} [cm ³]	Seite
Leichtprofil 40x120	Typ C03-9		4.0	203.49, 25.75	33.91, 12.87	90
Trägerprofil 40x120	Typ C01-9		5.3	258.52, 33.43	43.09, 16.72	91
Trägerprofil 40x160	Typ C02-9		7.0	592.79, 44.36	74.09, 22.18	92
Winkelprofil 80x80x40	Typ C01-6		5.3	109.18	23.56	93
Eckprofil 80x80x40 rund	Typ C03-6		3.6	76.40	19.10	94
Grundprofil 80x80	Typ C01-4		6.0	154.70	38.68	95
Leichtprofil 80x80	Typ C03-4		4.4	115.66	28.92	95
Eckprofil 80x80	Typ C03-7		4.5	117.70	29.43	96
Trägerprofil 80x120	Typ MC1-2		8.4	451.20, 219.76	75.20, 54.94	97
Schwerprofil 80x160	Typ MC1-9		11.0	1018.98, 296.53	112.37, 74.13	98

Profile Basis 30 mm

Profile Basis 30 mm	Typ		Gewicht [kg/m]	I _{x,y} [cm ⁴]	W _{x,y} [cm ³]	Seite
Vierfront-Softlineprofil 30x30	Typ B10-0		1.0	3.30	2.20	99
Superleichtprofil 30x30	Typ B03-1		0.7	2.63	1.76	99
Leichtprofil 30x30	Typ B02-1		0.9	2.95	1.97	100
Schwerprofil 30x30	Typ MB1-1		1.1	3.82	2.54	100
Frontprofil 30x30	Typ B03-2		0.8	2.85, 2.83	1.90, 1.83	101
Front-Verkleidungsprofil 30x30	Typ B02-2		0.9	2.93, 2.76	1.93, 1.84	101
Eckprofil 30x30	Typ B02-3		0.8	2.70	1.75	102
Eck-Verkleidungsprofil 30x30	Typ B01-3		0.8	2.70	1.75	102
Zweifrontprofil 30x30	Typ B02-4		0.8	2.73, 2.74	1.82, 1.83	103
Softlineprofil 30x30	Typ B01-8		0.8	2.57	2.02	103
Winkelprofil 30°	Typ B04-3		0.9	3.23, 2.89	1.54, 1.48	104
Winkelprofil 45°	Typ B04-4		0.9	3.14, 2.91	1.44, 1.45	104

Profile Basis 30 mm	Typ		Gewicht [kg/m]	I _{x,y} [cm ⁴]	W _{x,y} [cm ³]	Seite
Winkelprofil 60°	Typ B04-6		0.9	3.07, 2.94	1.45, 1.51	105
Grundprofil 30x50	Typ B01-9		1.2	10.94, 4.33	4.38, 2.90	106
Frontprofil 30x50	Typ MB2-9		1.3	11.30, 4.55	4.52, 3.03	106
Front-Verkleidungsprofil 30x50	Typ MB1-9		1.3	11.25, 4.84	4.50, 3.23	107
Front-Verkleidungsprofil 30x60	Typ B03-6		1.5	19.33, 5.43	6.44, 3.60	107
Grundprofil 30x60	Typ B01-6		1.5	20.52, 5.20	6.84, 3.47	108
Grundprofil 60x60	Typ B02-6		2.4	35.83	11.94	108
Grundprofil 30x100	Typ MB1-2		2.3	80.77, 8.95	16.15, 5.97	109
Front-Verkleidungsprofil 30x100	Typ B01-2		2.1	77.86, 8.79	15.57, 5.72	109
Frontprofil 30x300	Typ B03-3		5.1	1755.64, 26.06	117.04, 17.30	110
Rohrprofil ø30	Typ R03-98		0.6	13.13	8.75	110

Profile Basis 20 mm

Profile Basis 20 mm	Typ		Gewicht [kg/m]	I _{x,y} [cm ⁴]	W _{x,y} [cm ³]	Seite
Grundprofil 20x20	Typ D01-5		0.4	0.60	0.60	111
Eckprofil 20x20	Typ D01-3		0.4	0.65	0.65	111
Frontprofil 20x20	Typ D01-8		0.4	0.68, 0.59	0.68, 0.59	111
Softlineprofil 20x20	Typ D03-8		0.4	0.47	0.47	112
Grundprofil 20x40	Typ D01-7		0.7	3.91, 1.10	1.95, 1.10	112
Frontprofil 20x40	Typ D02-8		0.8	4.15, 1.26	2.07, 1.18	112
Frontprofil 20x50	Typ D02-5		0.9	7.71, 1.58	3.08, 1.58	113
Frontprofil 20x100	Typ D02-1		1.6	55.5, 3.01	11.1, 3.01	113

Spezialprofile	Typ		Gewicht [kg/m]	I _{x,y} [cm ⁴]	W _{x,y} [cm ³]	Seite
Wandschiene 18x50	Typ A19-9		0.9	–	–	115
Nutenleiste 16x40	Typ C08-1		1.0	–	–	115
Nutenleiste 20x80	Typ C08-2		2.4	54.49, 3.97	13.62, 3.97	116
Nutenleiste 20x120	Typ C08-3		4.4	177.95, 6.31	29.66, 6.31	116
Schiebepprofil 30x15	Typ B05-1		0.3	–	–	117
19" Zusatzprofil	Typ A05-2		0.5	–	–	118
19" Zusatzprofil	Typ B05-2		0.4	–	–	118
Zargenprofil 30x95	Typ B01-7		1.8	55.99, 7.94	11.79, 5.29	119
Laufwagenprofil 30x50	Typ B10-9		1.1	9.17, 4.51	3.37, 2.98	119
Rahmenprofil 30x15	Typ B15-1		0.7	1.4, 0.71	0.933, 0.473	120
8-Kantprofil, Basis 30 mm	Typ B15-3		2.8	51.01	14.09	120
Doppelklemmprofil 16x50	Typ A05-7		0.46	–	–	121

Spezialprofile

Spezialprofile	Typ		Gewicht [kg/m]	I _{x,y} [cm ⁴]	W _{x,y} [cm ³]	Seite
Abdeckprofil 13.5x50	Typ A05-8		0.3	–	–	121
Abdeckprofil 13.6x40	Typ C05-8		0.3	–	–	121
U-Klemmprofil 8x13.5	Typ B19-6		0.1	–	–	122
Anschlagprofil 11x30.5	Typ B19-7		0.4	–	–	122
Aluführungsgprofil	Typ B19-8		0.2	–	–	122
Winkelprofil 38x38	Typ A30-0		1.5	–	–	123
Winkelprofil 31x31	Typ C30-0		0.9	–	–	123
Winkelprofil 60x60	Typ A30-2		2.8	–	–	123
Winkelprofil 70x70	Typ C30-3		2.5	–	–	123
Winkelprofil 85x85	Typ E30-3		3.7	–	–	124
Winkelprofil 100x100	Typ A30-3		6.4	–	–	124
Winkelprofil 60x120	Typ A47-0		4.6	–	–	125

Spezialprofile	Typ		Gewicht [kg/m]	I _{x,y} [cm ⁴]	W _{x,y} [cm ³]	Seite
Winkelprofil 25x35	Typ A30-5		0.7	–	–	125
Scharnierprofil 54x17	Typ A60-6		1.3	–	–	126
Scharnierprofil 44x17	Typ C60-6		1.1	–	–	126
Scharnierprofil 57.5x8	Typ A60-1		1.3	–	–	126
Scharnierprofil 47.5x8	Typ B60-1		1.1	–	–	126
Scharnierprofil 47x4	Typ A60-2		0.5	–	–	126
Scharnierprofil 37x4	Typ B60-2		0.4	–	–	126
Scharnierprofil 36.5x20	Typ A60-5		1.2	–	–	126
Griffleistenprofil	Typ B65-5		0.6	–	–	127
Befestigungsleiste Basis 50	Typ A34-0		1.6	–	–	127
Befestigungsleiste Basis 40	Typ C34-0		1.3	–	–	127
Befestigungsleiste Basis 30	Typ B34-0		0.5	–	–	127

Spezialprofile

Spezialprofile	Typ		Gewicht [kg/m]	$I_{x,y}$ [cm ⁴]	$W_{x,y}$ [cm ³]	Seite
Vierkantrohr 55x55	Typ A19-5		1.3	21.58	7.85	128
Vierkantrohr 50x50	Typ E19-5		1.0	14.75	5.9	128
Vierkantrohr 45x45	Typ C19-5		1.0	11.4	5.06	128
Vierkantrohr 35x35	Typ B19-5		0.7	4.8	2.74	128
Gegengewichtsprofil 50x100	Typ A19-2		3.3	41.82, 16.43	8.36, 6.57	129